

Birko Toaster Griller

A reliable, safe and high performance toaster griller.

As a standard piece of equipment in many commercial kitchens, you can rely on this counter top toaster griller for quality and value.



Quality – galvanised steel base, Quartz elements (3 upper, 3 lower) and stainless steel construction (#304) with stylish brushed finish.

Fingertip control – European energy regulator, dual control for twin element or upper element heat and timer function.

Practical – removable stainless steel crumb tray and chrome-plated grilling rack for easy cleaning.

At 480mm(w) x 250mm(d) the rack takes up to 8 standard bread slices.

Rack opening: 30mm upper position / 55mm lower position.

Safe – heat resistant ABS control dials and handles, sliding rack locks and non-slip rubber feet.

Toaster Griller		
Part Number	1002001	1002002
Element	Quartz	Quartz
Power	2200W 10 Amps	3200W 15 Amps
Voltage	220-240V 50Hz	220-240V 50Hz
Max Temperature	280°C	280°C
Weight	17.1 Kg	16.5 Kg
Grill Rack Size (mm)	W 480 D 250	W 480 D 250
Dimensions (mm)	W 600 D 290 H 315	W 600 D 290 H 315



Birko Griddle Toaster

A reliable, safe and high performance toaster griller.

As a standard piece of equipment in many commercial kitchens, you can rely on this counter top toaster griller for quality and value.



Stainless steel main body with polished grilling plate.

Dual Element Function

- 1 element dedicated to the griddle surface.
- 1 element dedicated to toasting function.

Dual Control

- Griddle Surface element – thermostat control.
- Toasting elements – energy regulator control.

Thermal overload protection.

Non slip feet.

Griddle Toaster

Part Number	1003002
Power	15 Amps
Electrical	220-240V 50Hz 2900W
Cooking Area	520mm X 330mm
Temperature	60 - 300°C
Dimensions (mm)	W 525 D 594 H 340



Birko Contact Grill

Heavy duty cast iron surfaces for high-volume grilling.

These versatile counter top contact grills are ideal for a wide range of toasted and grilled snacks.



Versatile cooking surface – heavy duty, smooth cast iron cooking surfaces capable of withstanding high-volume use.

Commercial quality – galvanised steel base and stainless steel construction (#304) with stylish brushed finish.

European controls – dual control European thermostat and thermal cut-out function for precision and safety.

Practical – spring loaded height settings and removable stainless steel crumb/drip tray for easy cleaning. Operates between 60 and 300 degrees.

Safe – non-slip rubber feet, heat resistant ABS control dials and handles.

Contact Grill			
Part Number	1002101	1002102	1002103
Grill Type	Smooth	Smooth	Smooth
Power	2000W 10 Amps	2400W 10 Amps	2900W 15 Amps
Voltage	220-240V 50Hz	220-240V 50Hz	220-240V 50Hz
Weight	20 Kg	30.7 Kg	32.2 Kg
Max Temperature	60-300°C	60-300°C	60-300°C
Plate Dimensions (mm)	W 260 D 226	W 370 D 280	W 430 D 240
Dimensions (mm)	W 290 D 350 H 240	W 410 D 445 H 235	W 475 D 390 H 235



1002103

Birko Conveyor Toaster

Masses of golden toast for high-volume kitchens.

Simply feed in the bread for perfect toast to roll out at up to 600 standard slices per hour. Ideal for hotels, catering and schools.



Commercial quality – steel conveyer belt, motor and gears, metal elements (upper/lower) and stainless steel (#304/#430) construction with stylish brushed finish.

Fingertip control – European energy control, feed and front return operation or rear exit, dual element control and conveyer speed controls.

Practical – Removable stainless steel crumb tray and chute for easy cleaning Energy saver standby mode for quick reheat Separate upper element and combined upper/lower element settings for greater control.

Safe – heat resistant ABS control dial and adjustable legs.

Verticle Slot Toaster	
Part Number	1003202
Slices	600 per hour*
Power	2400w 10 Amps
Voltage	220-240V 50Hz
Max Temperature	60 - 280°C
Weight	18 Kg
Dimensions (mm)	W 370 D 420 H 420




60mm Conveyor clearance required

Toaster opening sizes : 260mm x 60mm

Birko Vertical Slot Toaster

A proven winner for small and medium kitchens.

Built tough for robust commercial use, yet very compact and portable, this great value product delivers golden toast day in, day out.



Commercial quality – galvanised steel base, metal elements and stainless steel (#304/#430) construction with stylish brushed finish .

Fingertip control – dual element control, and timer function.

Practical – energy saver 3-slice switch and removable stainless steel crumb tray for easy cleaning.

Safe – heat resistant ABS control dial, body venting, chrome steel element guards and non-slip rubber feet.

Verticle Slot Toaster

Part Number	1003203
Slices	Standard size
Power	2100w
Voltage	220-240V 50Hz
Weight	8 Kg
Dimensions (mm)	W 410 D 230 H 270

